

A Familiar yet Vague Name: “Abstract Data Type”



C++ Object Oriented Programming
Pei-yih Ting
NTOU CS

. 1

Abstract Data Type

抽象資料型態

✧ **Abstract?!**

- * Disassociated from any specific instance 抽象的, 不易懂的
- * Expressing a quality apart from an object 抽象化 (理論化)
- * Having only intrinsic form with little attempt at pictorial representation or narrative content 摘要

✧ **Data type?**

characteristics of a set of data,
template for instances of data storage

specifies: {
format
ranges
memory resources

. 2

Abstract Data Type (cont'd)

✧ See what people on Internet said

何謂ADT(Abstract data type)

我一直搞不懂ADT是啥?

抽象資料型態(ADT)

我知道是一個自訂的資料型態,

但是卻似懂非懂,

可以幫忙解釋一下嗎?

感謝...

Any better?!

簡單的說陣列 (array) 就是一種抽象的觀念,
但是你做出了 `int array[10]`; 這樣的實踐, 就是抽象觀念的實作...

. 3

Abstract Data Type (cont'd)

✧ http://en.wikipedia.org/wiki/Abstract_data_type

- ✧ In computing, an abstract data type (ADT) is a specification of **a set of data** and **the set of operations** that can be performed on the data.
- ✧ e.g. container, deque, list, map, multimap, multiset, priority queue, queue, set, stack, string, tree
- ✧ Such a data type is **abstract** in the sense that it is independent of various concrete implementations.
 - * Question: **Will they still be abstract without the set of operations (only the set of data)??**

. 4


Abstract Data Type (cont'd)

- Are you really satisfying with this definition???
- ★ “Data type” is an easy idea: the attributes
- ★ It looks like that “data type” itself could also be independent of various implementations.
- ★ Why is the additional “operations” related to the keyword “abstract”???






5

Example: Prim's MST

- In JohnsonBaugh's “Algorithms”



Minimum Spanning Tree



6

Example: Prim's MST (cont')

```

prim(adj, start, parent) {
  n = adj.last
  for i = 1 to n
    key[i] = ∞
  key[start] = 0
  parent[start] = 0
  h.init(key, n)
  for i = 1 to n {
    v = h.del()
    ref = adj[v]
    while (ref != null) {
      w = ref.ver
      if (h.isin(w) &&
          ref.weight < h.keyval(w)) {
        parent[w] = v
        h.decrease(w, ref.weight)
      }
      ref = ref.next
    }
  }
}
    
```

h is an abstract data type that supports the following operations
h.init(key, n): initializes h to the values in key
h.del(): deletes the item in h with the smallest weight and returns the vertex
h.isin(w): returns true if vertex w is in h
h.keyval(w): returns the weight corresponding to vertex w
h.decrease(w, new_weight): changes the weight of w to new_weight (smaller)


7

Abstract Painting

- Picasso



- Miro - Angel



抽象畫 - 非寫實畫風

8

Abstract

- ✧ Mathematic formula: Central Limit Theorem, Stirling formula, Fourier Transform, ...
- ✧ Physic formula: wave equation, ...

Quite often is the case that **you cannot see what these formula mean** because they are deprived of from their original application environments.
Thus, you say that these formula are quite **abstract**.

9

Abstraction

- ✧ **Abstraction**: the process or result of generalization by reducing the information content of a concept or an observable phenomenon
 - ★ A method to find general form of an idea
 - ★ A method to find a unified explanation
 - ★ A method to simplify the complex exteriors.
 - ★ 抽象化 – 單純化 – 簡化
 - ★ ex. 鳥可以飛, 飛機可以飛, 蚊子可以飛 → 有翅膀的
but 鴕鳥, 肉雞...
需要描述翅膀怎麼用才能飛 – 需要有操作型定義
一個資料結構真正代表的意義 – 必需用動作來描述

10

Data vs. Operation

- ✧ 茶杯 pure data



- ✧ Data can be used for any imaginable purpose.
- ✧ You want your data storage to be specific. You name its “operations”
 - ★ How do you use this data?
 - ★ For what do you use it?

11

Back to ADT

- ✧ abstract data type (ADT):
 - is a specification of
 - { **a set of data** and
 - the set of operations** performed on the data.

- ✧ It is independent of various implementations
- ✧ It provides specific descriptions of the functionalities of a piece of data in terms of operations.

12

The C syntax: x.y vs. x.z()

- ✧ In C, how do you capture the idea of **h.key** and **h.decrease(w, weight)**
- ✧ Are these two syntactically correct in C?
- ✧ Yes.
- ✧ **decrease** is called a “function pointer”
- ✧ It is a piece of data (attribute), and at the same time, you can invoke a function via this data.

* e.g. void fun(int x)	void (*fp)(int);
{	...
...	fp = fun;
}	(*fp)(5); /* calling fun(5) */

• • • • • • • • 13

```
01 // cl testfp.c
02 #include <stdio.h>
03
04 struct MyStruct
05 {
06     int x;
07     int (*fp)(int);
08 };
09
10 int isOdd(int data);
11
12 void main()
13 {
14     struct MyStruct obj = {123, isOdd};
15     int data;
16     int (*myfp)(int) = isOdd;
17
18     printf("Please input an integer: ");
19     scanf("%d", &data);
20     printf("%d\n", obj.fp(data));
21     printf("%d\n", (*obj.fp)(data));
22     printf("%d\n", myfp(data));
23     printf("%d\n", (*myfp)(data));
24     printf("%d\n", isOdd(data));
25 }
26
```

```
27 int isOdd(int data)
28 {
29     printf(" calling isOdd() ");
30     if (data%2 == 1)
31         return 1;
32     else
33         return 0;
34 }
```